

WAAS CH 87004 W19A	APP CRS 194°	Rwy Idg TDZE Apt Elev	6149 1065 1071
---------------------------------	------------------------	-----------------------------	---


RNAV (GPS) RWY 19

GLENDALE MUNI (GEU)


⚠ For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -17°C (2°F) or above 47°C (116°F). DME/DME RNP-0.3 NA. Visibility reduction by helicopters NA. VDP and Baro-VNAV NA when using Phoenix Sky Harbor Intl altimeter setting. Circling NA west of Rwy 1-19. When local altimeter setting not received, use Phoenix Sky Harbor Intl altimeter setting and increase all DA 45 feet and MDA 60 feet and increase LNAV/VNAV all Cats and LNAV Cat C and D and Circling Cat C visibility ¼ mile.

⚠ MISSED APPROACH: Climb to 5000 direct AGERE then climb to 8000 on track 132° to POTER and hold.


ATIS 119.425	LUKE APP CON* 118.15 363.125	GLENDALE TOWER* 121.0 (CTAF) 0	GND CON 118.0	UNICOM 122.95
------------------------	--	---	-------------------------	-------------------------



5000	AGERE	8000	POTER	VGSI and RNAV glidepath not coincident (VGSI Angle 3.00/TCH 30).	BAPPA	Procedure Turn NA
------	-------	------	-------	--	-------	-------------------



CATEGORY	A	B	C	D
LPV DA		1339-1	274 (300-1)	
LNAV/VNAV DA		1572-1¾	507 (600-1¾)	
LNAV MDA	1540-1	475 (500-1)	1540-1¼ 475 (500-1¼)	1540-1½ 475 (500-1½)
CIRCLING	1540-1 469 (500-1)	1660-1 589 (600-1)	1660-1½ 589 (600-½)	1660-2 589 (600-2)



SW-4, 09 NOV 2017 to 07 DEC 2017

SW-4, 09 NOV 2017 to 07 DEC 2017